

X36 EXAMINATION TABLE

Registration code: SKD-A



Healthward uk

Healthier your life

X36

FEATURES AND HIGHLIGHTS

Technical parameters

External Size (LxWxH)	1860x690x460-910 mm
Back Plate Upward Fold	≥80°
Back Plate Downward Fold	≥50°
 Leg Plate Upward Fold 	≥65°
 Leg Plate Downward Fold 	≥45°
Bearing Capacity	≥150kg
 Headrest Hole 	150 mm
■ Input Voltage	110-230v
Output Power	24W

Technical configuration

✓ Motor	1pc
☑ Pillow	1pc
☑ Gas Spring	2pcs
☑ Brake Pedal	4pcs
☑ 3" Double Wheel	4pcs
✓ Manual Operator	1pc

Optional

☐ Bed Surface Foot Lift	1pc
☐ Roll Up Tissue Holder	1pc















Bed Frame

The bed frame surface is painted with 1.5mm powder coated steel, and welded by Panasonic Robotic seamlessly. Strong corrosion resistance, environmentally-friendly, bright surface, maintain an overall beautiful appearance. With this structure, the whole bed maintains more stable and makes patients feel more safe.



Mattress

The bed platform is integrally made of the high-end composite leather and hand-made cotton mattress, of which the curve design is ergonomic, elastic and soft, breathable, environmentally-friendly, easy to be cleaned, anti-bacterial, impactresistant



Pneumatic Pole Support

Two air springs are equipped on the back and legs to provide users with a quiet and safe environment during diagnosis and avoid interference.



Control System

CE certified linear actuator motor, one-buttom free lift, low noise, and long service life. Manual (foot control) electric overall lifting, manual back-rest lifting, leg-rest lifting adjustment, height adjustment.



Hand Controller

The bed is equipped with Hand-held controller, so that the optimal height is easy to be adjusted by pressing the single button gently. The hook on the back is convenient to take down for patients and nurses.



Bed foot equipment

Equipped with 4pcs 3-inch double-sided wheels, 2 fuctions side brake with 4 pedals, which are convenient to move and fix. The design of 360° rotating pulley made of polyurethane PU is strong, durable, nonsip, strong in pressure resistance, and good in stability.



Assorted Pillow

The neoteric design of the pillow is narrow on the top and wide on the bottom. Its well-shaped and elegant design matches with modern aesthetic ideas and can blend into the environment harmoniously. Pillow can be disassembled according to demand.



Round Covered Edge

The bed platform was covered in 360°. The soft-touch of surface would be safer for users.



Design

Bed surface two fold three ergonomic design, adjust the height according to the patient's height, personalized design help diagnosis. Dual use of bed and chair, high bearing lasting stability, no fear of heavy pressure impact, to ensure safe use.

















Design

Research

Manufacturing

Maintenance

Service



South America Branch Saikang Medical Techno-

logy, Inc W3400 Corrientes, Argentina TEL: +5493794312231 Av. Senador Vergueiro, 4204

Rudge Ramos – São Bernardo do Campo – SP, Brazil TEL: +55 (11) 2758-0438

East Africa Branch

Saikang Medical Technology Ltd

Mezzanine Floor, Taj Tower, upper hill, nairobi, Kenya TEL: +254714084806

South East Asia Branch

Saikang Medical Technology Ltd

Sala Thammasop Subdistrict Thawi Watthana District Bangkok Thailand TEL: +66 642741046

UK Branch

Uk Healthward International Limited

DEPT 111, 196 High Road Wood Green, London, N22 8HH United Kingdom TEL: +31 (0) 202111106

Russia Branch

LLC 'SAIKANG' 454004, Russian Federation, Chelyabinsk,

Universitetskaya Naberezhnaya, Russia

naya, Russia TEL: +7 (919)300-00-06

Mid East Branch

Saikang Medical Supplies

(Mid East) LLC Musaffah P.O Box 53200, Abu Dhabi, UAE Tel: +971 585710652

Healthward Tuk

Chengdu Saikang Medical Equipment Co., Ltd. STOCK CODE: 870098

No.1, 5th Floor, Building 5, No.360, Wuke West 5th Road



export@health-ward.com

www.health-ward.com







Company video

General catalogue