

# SKR-ET850 EMERGENCY TROLLEY



## Healthward<sup>`uk</sup>



# SKR-ET850

## FEATURES AND HIGHLIGHTS

### Technical parameters

External size (LxWxH)	850x520x990 mm
Castors	125 mm



#### Material

It is mainly composed of aluminum, stainless steel and ABS engineering plastic structure.



Defibrillator holder

Two-layer rotating defibrillator holder, can easily view and control the defibrillator at any Angle.

4 inch luxurious noiseless castors,

and two with brake high strength

polyurethane material.





Drawer handle The color of the drawer handle can be changed, easy to assemble.



**Drawer** Drawer guide rail adopt damping buffer rail.



Drawer label card Card insert from downside, easy keep clean. Color is also optional.



#### **ABS** inserts

Castor

With ABS inserts inside, which can be separated freely as required.



Laterally extendable worktop



Safe lock

Adopt C-level safe lock, make medicine storage safer.



Dust baskets

Two dust baskets are divided into two colors, convenient for medical staff to classify different types of garbage









Design





Manufacturing



Maintenance





#### USA

Saikang Medical Technology, Inc. 17800 Castleton St Ste 180, City of Industry, 91748, California. Tel.: +1 949648 2776

#### United Kingdom

UK Healthward International Ltd. Dept. 111, 196 High Road Wood Green, N22 8HH, London. Tel.: +44 2032399738

#### Russia

Saikang Medical Russia LLC Truda 174, 454080 Chelyabinsk. Tel.: +7 (351) 214 5566 / 8811 / 1516

#### East Africa

Saikang Medical Solutions Ltd. Viraj Complex Unit 3, Mombasa Road, P.O. Box 14262-00800, Nairobi. Kenya. Tel.: +254 733 704 690

#### Middle East

Saikang Medical Supplies LLC X22-S03 England Cluster, International City, Dubai. United Arab Emirates. Tel.: +20 128 8962497

## **Healthward**<sup><sup>1</sup>uk</sup>

Chengdu Saikang Medical Equipment Co., Ltd. STOCK CODE: 870098

### 📀 No.1, 5th Floor, Building 5, No.360, Wuke West 5th Road ·

□ +86 18021231901 · S 24/7

- 💌 export@health-ward.com
- () www.health-ward.com





