

SKB039(G)

STRETCHER TROLLEY



SKB039(G)

FEATURES AND HIGHLIGHTS



Technical parameters

▪ Dimensions	200×56×100cm
▪ Folded size	200×56×38cm
▪ Length adjustment	145cm-200cm
▪ Bed height	58cm±5
▪ Height adjustment range	51cm, 60cm, 68cm, 77cm, 84cm, 90cm, 94cm, 99cm
▪ Back adjustment	0-75degrees
▪ Leg adjustment	0-20degrees
▪ Load-bearing	≤200kg
▪ Net weight	43kg

Technical configuration

<input checked="" type="checkbox"/> Thickened sponge waterproof PVC mattress	1 pc
<input checked="" type="checkbox"/> Safety belt	2 pc
<input checked="" type="checkbox"/> Telescopic IV pole	1 pc
<input checked="" type="checkbox"/> Stretcher fastening Lock	1 pc
<input checked="" type="checkbox"/> Oxygen cylinder holder	1 pc

Product application: Suitable for hospitals, ambulances, fire departments, sports stadiums, and wilderness emergency transport.

Steel | Sheet metal | Stamping parts: It is made of high-quality aluminum alloy material, with small size, light weight, durability, and rust-free.

Paintwork: Electrostatic powder coating process, with a thickness of 60 microns.

Welding | Craftmanship: Argon gas shielded welding process, with well-formed weld seams and smooth and clean surfaces.

Load-bearing: The maximum weight capacity is 200kg.

Design

It conforms to ergonomics and meets the patient's transfer needs. Its design is user-friendly, multifunctional and reliable.

Guardrail

The stretcher features a flip-type structure and is made of lightweight polymer plastic, allowing for easy lifting of patients. It can be folded for convenient transportation and storage.

Low-level chassis

The low-level chassis structure can move on the ground and be lifted for walking.

Components

The components are made of high-quality aluminum alloy, which is strong and durable.

Foldable leg

The X-shaped leg structure is more stable, and lifting is very lightweight.

Safety belt

The vest-style three-point safety belt ensures safe transportation.

Gas spring

It has eight levels of adjustment controlled by gas springs, with eight height adjustments for the legs and backrest to meet various emergency situations.

Mattress

The thick sponge with a concave design makes the patient more comfortable, with a PVC mattress that is waterproof, stain-resistant, and easy to clean. The thickness is 10cm.

Caster

It has 4*6 inch universal wheels with brakes, and the wheels are made of environmentally friendly PP material, which is shock-absorbing and wear-resistant.

IV pole

The humanized adjustable height and buckle-style folding design make it more convenient to use. The maximum adjustable length is 80cm.





CONSTANT INNOVATION



Design



Research



Manufacturing



Maintenance



Service



WORLDWIDE BRANCHES

USA

Saikang Medical Technology, Inc.
17800 Castleton St Ste 180,
City of Industry, 91748, California.
Tel.: +1 949648 2776

United Kingdom

UK Healthward International Ltd.
Dept. 111, 196 High Road Wood
Green, N22 8HH, London.
Tel.: +44 2032399738

Russia

Saikang Medical Russia LLC
Truda 174,
454080 Chelyabinsk.
Tel.: +7 (351) 214 5566 / 8811 / 1516

East Africa

Saikang Medical Solutions Ltd.
Viraj Complex Unit 3, Mombasa
Road, P.O. Box 14262-00800, Nairobi.
Kenya.
Tel.: +254 733 704 690

Middle East

Saikang Medical Supplies LLC
X22-S03 England Cluster,
International City, Dubai,
United Arab Emirates.
Tel.: +20 128 8962497

Healthward^{uk}

Chengdu Saikang Medical Equipment Co., Ltd.
STOCK CODE: 870098

📍 No.1, 5th Floor, Building 5, No.360, Wuke West 5th Road ·
Wuhou District (Chengdu) · China

☎ +86 18021231901 · 🕒 24/7

✉ export@health-ward.com

🌐 www.health-ward.com



Company video



General catalogue